	Туре	Ľ #	Hits	Search Text	DBs	Time Stamp
	BRS	. H	2669647	(measure or measured or measuring or measurement test or tested or testing or detected or detection or sense or sensed or sensing or sensor or register or registered or registeration) near5 (work or piece or workpeice or component or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:13
N	BRS	. L2	270084	L1 near5 (coordinate or (conear2 ordinate) or orientate or orientation or position or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	2007/04/20 14:13

	Туре	т #	Hits	Search Text	DBs	Time Stamp
	BRS	Ľ ₃	1147207	(detect or detected or detecting or detection or determining or determining or determining or determination or determined or judge or judged or judgement or identify or identify or identification or identified or identifying) near5 (orientate or position or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:13
4	BRS	L4	12494	L3 near5 (model or simulation or description)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	2007/04/20 14:13

4/20/2007
, EAST
Version:
2.1.0.14

ر ص	ज	
BRS L6 7142	BRS L5 697	Type L # I
N	697179	Hits
L1 same L5 same (model or simulation or description)	(detect or detected or detecting or detection or determining or determining or determining or determination or determined or judge or judge or judgment or judgment or calculate or calculated or calculation or calculating) near5 (error or deviate or deviation	Search Text
US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20 14:13	2007/04/20 14:13	Time Stamp

	Туре	ሆ #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	1417508	(rotate or rotated or rotating or rotation or convert or converted or converted or converting or conversion or translate or translated or translating or translation or changing or alter or altered or altering or alteration or modify or modification) near5 (position or positioned or alignment or match or alignment or match or correlate or correlated or register or registered or registering or registering or registering or registering or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
ω	BRS	L8	91344	L7 same L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:13

	0
φ	BRS L9
10	BRS L10
11	BRS L11

	CEXWENT;	•				
		or representation)				
14:17	; EPO;	simulation or description	12462	L13	BRS	13
2007/04/20		L1 same L12 same (model or				
	USPAT;					
	US-PGPUB;					
		or code)				
		program or level or setting				
		protocol or application or				
		controlling or language or				
		or controlled or	-			
		or instructing or control				
		or instruct or instructed				
	IBM_TDB	commanding or instruction				
	DERWENT;	(command or commanded or				
+ + + -	JPO;	modification) near5				
14.17	FPRS; EPO;	modified or modifying or	1908936	L12	BRS	12
0007/04/00	USOCR;	alteration or modify or				
	USPAT;	altered or altering or				
	US-PGPUB;	changing or alter or				
		or change or changed or				
		translating or translation				
		translate or translated or				
		converting or conversion or				
	0)0	convert or converted or				
		rotating or rotation or	_			
		(rotate or rotated or				
Time Stamp	DBs	Search Text	Hits	L #	Туре	
- 1]	- 1	•	- 1		

	Туре	#	Hits	Search Text	DBs	Time Stamp
14	BRS.	L14	23615	L1 same L12 same (error or deviate or deviated or deviation or deviation or difference or variation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
15	BRS	L15	490	II and III and (II3 or II4) Scanned Ti, Ab, Kult ull	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
16	BRS	L16	3 , 2 8	——————————————————————————————————————	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB \[\(\) \(\) \(\)	2007/04/20 14:21

υi	44	ω	N	Н	
US 20060025890 A1	US 20050273202 A1	US 6697761 B2	JP 2003211376 A	US 20030085891 A1	Document ID
20060202	20051208 *	20040224	20030729	20030508	Issue Date
Nagatsuka; Yoshiharu et al	20051208 Bischoff, Rainer	Akatsuka; Yuichiro et al.		Lyons, Alexander et al. 345/420	Inventor
700/253	700/263	702/151		345/420	Current OR
700/245		702/150; 702/152; 702/153	:		Current XRef
16	9	32	10	30	Page s

L9 Results

		Tagua		5	
	Document ID	Date	Inventor	OR	Current
1	US 3422325 A	19690114	GERBER HEINZ JOSEPH et al.	318/574	318/ 318/
N .	US 3538315 A	19701103	REUTELER JOHANN F	318/574	318/ 700/ 700/ 700/
		·			001199
	US 3543910 A	19701201	MARTIN PAUL S et al.	414/728	901/ 901/ 901/ 901/ 901/ 901/
) 1 1				(עען
4 4	US 3551656 A	19701229	WOHLFEIL JACK A	318/574	318/ 318/ 318/ 340/
					4

L15 Results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Page s
				,	6	
					700/186;	
					700/252;	
Л		10070600		700/07	700/253;	0
(T C+00/0+	T30/0002	Okada; iakusiii et ai.	/00/0/	700/254;	0
					708/442;	
					901/15;	
			,		901/3	
					318/560;	
					318/603;	
σ	US 5352961 A	19941004	Tajima; Fujio et al.	318/561	/615;	19
					318/7;	
					360/73.09	
					318/560;	
7	US 5497059 A	19960305	Tajima; Fujio et al.	318/561	318/603;	18
					318/609	
	US 6256546 B1	20010703	Graham; Michael Evans et al.	700/30	700/29	12
9	JP 2003211376	20030729				10
10	US 6615102 B1	20030902	Morfino; Giuseppe	700/173	700/166	10

L15 Results

٠.			
	N	1	
	US 3	US 2	סם
	3543910	2927258	Document
	10 A	58 A	nt ID
			0
	19701201	10200961	Issue Date
	,	·	ie Le
	MARTIN PAUL	BERNARD LIPPEL	
	IN P.	₽ TRD	
		LIPPI	Inventor
	۵ در	II	ror
	al.		
	44	ω	
	414/728	318/39	Curre
	8	φ .	ent R
	198/ 198/ 414/ 414/ 700/ 901/ 901/ 901/ 901/ 901/	242/DI 318/56 318/57 318/60 318/63 340/82 409/79 700/15 74/7R;	Curr
	341. 468. 730; 735; 251; 18; 18; 222; 226; 25; 26; 27;	IG. 69; 78; 04; 32; 25.	Current XRe
•	08;	1;	H .
	24	8	Page s

L16 Results

OR XRef
Thyentor

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pa
Р	US 20020038855 A	20020404	20020404 HWANG, W et al.			10
2	US 6509576 B2	20030121	20030121 Woo-Dong; Hwang	250/559.33	700/259; 901/3; 901/47	10

L19 Results

21	20	
BRS	BRS	Туре
L21	L20	# 1
211491	383545	Hits
(model or simulation or description or representation) near8 (error or deviate or deviated or deviating or deviation or difference or variation)	(correct or corrected or correcting or correction or compensate or compensated or compensated or compensation or calibrated or calibrated or calibrated or calibration or calibration) near5 (coordinate or (conear2 ordinate) or orientate or orientate or orientation or positioning or location or displace or displaced or align or aligned or aligning or alignment)	Search Text
US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20	2007/04/20	Time Stamp

٠	Туре	Type L #	Hits	Search Text	DBs	Time Stamp
N N	BRS	L22	7382	21 near10 (coordinate or (co near2 ordinate) or orientation or positioning or position or displace or displaced or displacement or align or aligned or aligning or alignment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
2 3	BRS	L23	620	20 near15 (21 or 22)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20

N #4	
BRS	Туре
L24	Ľ #
1828743	Hits
(rotate or rotated or rotating or rotation or replace or replaced or replaced or replaced or replaced or switching or convert or switching or converting or converted or converting or converted or translate or translated or formatting or translation or formatting or change or changed or altering or altered or altering or alteration or modify or modification or modifying or modification) nears (coordinate or (co near2 ordinate) or orientate or location or position or displaced or align or aligned or aligning or aligned or aligning or alignment)	Search Text
US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20	Time Stamp

	Туре	L #	Hits	Search Text	DBs	Time Stamp
N 5	BRS	L25	3213	(21 or 22 or 23) same 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
N 6	BRS	L26	2417497	(replace or replaced or replacing or replacement or switch or switched or switching or convert or converted or converting or converted or translate or translated or translate or translated or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification) near5 (command or commanded or control or instructed or instructed or instructed or instructed or controlling or language or protocol or application or program or level or setting or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 15:14

					İ
	BRS	BRS	BRS	BRS	Туре
	L30	L29	L28	L27	۲ #
	121	121	16	6522	Hits
4/20/2007, EAST Version: 2.1.0.14	28 or 29 Stater Ference Sears	20 and 23 and (25 or 27)	20 and 23 and 25 and 27	(21 or 22 or 23) same 26	Search Text
ersion: 2.1.0.14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
	2007/04/20 15:19	2007/04/20 15:19	2007/04/20 15:18	2007/04/20	Time Stamp

0	ъ	4	ω	N	Р	1
		· · · · · ·		.~		
SD	US A1	S	SD	₹ O	Вn	
1 1	20			97	4.8	Doc
095	020	6269284	34.	9743	4831549	THE STATE OF
6509576	003	28 4	6134506	703	549	Document
В2	20020038855	B1	₽	A1	⊅	Ħ
			A >			
20030121	20020404	20010731	20001017	19971120	19890516	цн
301	204	107	010	711	905	Issue Date
21	04	•	17	20	16	e 1e
Woo-Dong; Hwang	Hwang,	Lau;	Rosenberg;	LAU,	Red;	
b	ng,		enb			
ng		Kam C.	erg	KAM	Walter	
, H	-00	C.		C	ter	Inv
war	Woo-Dong	. е С	Louis	et	Ħ.	Inventor
ן קֿי	Ď	a	នក្រ	al	et	or
		• • • • • • • • • • • • • • • • • • •	В	•	c al	
			e t		1.	
250	250	700	702		700	Cn
250/559	250/559	261/007	702/95		700/254	Curren
9.3	9.2	ü.			4	nt
ω	29	•	•			OR
700 901 901		700 700 700 700 700 700 700 700 700	33, 33, 33, 70(702		901 901	Ω.
/3	٠	/ / / / / / / / / / / / / / / / / / /	/50 /50 /50 /50 0/1		/1 /2	urren XRef
59; ; 7		60; 92; 92; 95; 65;	2; 3; 4; 95;		6;	Current XRef
10	<u> </u>	N σ	3 .	45	20	Pag
						age s

L30 Results

L30 Results

L							
	2007/04/20 16:49	USPAT	("2006/0181236").URPN.	0	L34	BRS L34 0	32
	2007/04/20 16:48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	("20060181236").pn. Schnnedti all	2	L33 2	BRS	31
	Time Stamp	DBs	Search Text	Hits	#	Туре L #	

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pa
1	WO 2004071717 A	20040826	20040826 BROGARDH, T			31
N	US 20060181236 A1	20060817	20060817 Brogardh; Torgny	318/568.1		31

F 3 5	#
	Hits
"2004071717" or (04 near1 USCR; USCR; "071717") FPRS; EPO; JPO; DERWENT; IBM_TDB	Search Text
	DBs
2007/04/20	Time Stamp

ω

BRS

Туре

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Page s
Н	WO 2004071717 A1	20040826	BROGAARDH, TORGNY	•		64
2	WO 2004071717 A	20040826	BROGARDH, T			31

L33 Results